



What makes IMMI's CargoBuckle® and BoatBuckle®, the best tie-downs on the market? They're made by a company dedicated to Bringing Safety to People.® IMMI is a global, trusted leader in safety. We engineer, test, and manufacture advanced safety systems designed to protect children, firefighters, truckers, soldiers, and more. Every day, millions of people depend on our products to bring them, and their loved ones, home safely. So when it comes to keeping your valuable gear safe and secure, no one does it better or makes it easier than IMMI. Hook, Ratchet, and Go® with the most trusted tie-downs in the industry.







RETRACTABLE TIE-DOWN SYSTEM











Part Number F18800
Size 2" x 72"
Break Strength / SWL 3,500 lbs. ea. / 1,167 lbs. ea
Package Style 2 per interactive display
Case Quantity 4

F103745 1" x 72" 1,400 lbs. / 466 lbs. ea. 2 per interactive display 4 F111640 1" x 72" 1,400 lbs. /466 lbs. ea. 2 per clam package 4

CARGOBUCKLE®

FLUSH MOUNT SYSTEM

LADDER RACK SYSTEM 1.25" SQUARE

LADDER RACK SYSTEM 2" ROUND







Part Number	F18804	F18816	F18821
Size	2" x 72"	7'	7'
Break Strength / SWL	3,500 lbs. / 1,167 lbs.	2,000 lbs. / 677 lbs. ea.	2,000 lbs. / 677 lbs. ea.
Package Style	1 per carton	2 pack	2 pack
Case Quantity	4	4	4

CARGOBUCKLE®

LADDER RACK

INDUSTRIAL J-HOOK

SEAT BELT QUALITY WEB

SELF-RETRACTING WEB

STAINLESS STEEL INTERNAL SPRING


PROTECTIVE PLASTIC COVER

ZINC COAT PLATED STEEL ANTI-CORROSIVE FRAME

PERMANENT ONE-BOLT INSTALLATION

LOCK OUT MODE FOR EASY APPLICATION

EASY PUSH LEVER RELEASE



S-HOOK ADAPTER STRAP

E-TRACK ADAPTER STRAP

MOUNTING BRACKET







Part Number	F14086
Size	9.5"
Break Strength / SWL	2,500 lbs. / 833 lbs. ea.
Package Style	2 per clam package
Case Quantity	12
0	

F14087
7"
2,500 lbs. / 833 lbs. ea.
2 per clam package
12

F16777	
n/a	
2,500 lbs. / 833 lbs. ea.	
2 per clam package	
12	

SOFT LOOP HOOK CONVERTER



PVC PROTECTIVE PADS





Part Number	F126817
Size	1" x 15"
Break Strength / SWL	3,500 lbs. / 1,167 lbs. ea.
Package Style	2 per package
Case Quantity	20

F13274
For 1" web
2 per clam package
12

F13180	
For 2" web	
2 per clam package	
10	

CARGOBUCKLE®



Part Number	F18744	F12636	F14060
Size	1" x 15'	1" x 15'	1" x 12'
Break Strength / SWL	1,500 lbs. / 500 lbs. ea.	1,500 lbs. / 500 lbs. ea.	1,000 lbs. / 333 lbs. ea.
Package Style	Display 4-pack	4 per clam package	Clam single item
Case Quantity	10	10	N/A



CARGOBUCKLE®



Part Number	F13758	F12637	F14061
Size	2" x 15'	1" x 6'	1" x 5.5'
Break Strength / SWL	2,500 lbs. / 833 lbs.	800 lbs. / 267 lbs. ea.	1,200 lbs. / 400 lbs. ea.
Package Style	Clam single item	4 per clam package	2 per clam package
Case Quantity	6	10	6

CONTINUOUS LOOP RATCHET



REEL-SMART TOW STRAP

Heavy Duty Tow Strap with Reel-Smart Storage Case. NO MORE TANGLED TOW STRAPS! Easy reel-and-store case fits under seat or in trunk for easy access. Heavy-duty, 2" web for maximum resistance to fraying or tearing.






Place loop end over knob and rotate to wind web.



Part Number F13757
Size 1" x 15'
Break Strength / SWL 1,000 lbs. / 333 lbs.
Package Style Clam single item
Case Quantity 6

F100014 2" x 20' 10,000 lbs. / 3,333 lbs. Self-storing case







Spend more time in the water and less on the ramp. BoatBuckle offers professional fishermen and weekend boaters convenient, high quality tie-down systems. With no tangled straps to fuss with or lose, and quick easy installation, it's easy to see why BoatBuckle is the most popular marine tie-down in the industry!

BoatBuckle has a solution for all your tie-down needs.

- 1. Winch Strap
- 2. Bow Tie-Down
- 3. Gunwale Tie-Down
- 4. Gas Tank Tie-Down
- 5. Battery Box Tie-Down
- 6. Kwik-Lok® Tie-Down
- 7. BoatBuckle® G2 Transom Tie-Down

BOATBUCKLE®

COATED S-HOOK

SEAT BELT QUALITY WEB

PROTECTIVE PLASTIC COVER

SELF-RETRACTING WEB

STAINLESS STEEL INTERNAL SPRING

PERMANENT ONE-BOLT INSTALLATION

ZINC COAT PLATED STEEL ANTI-CORROSIVE FRAME

LOCK OUT MODE FOR EASY APPLICATION

AMBIDEXTERITY ONE BUTTON PUSH RELEASE



BOATBUCKLE®







UNIVERSAL MOUNTING BRACKET KIT

Universal Mounting Bracket for flexible mounting options.









Part Number	F106877	F14254
Size	Up to 72"	
Break Strength/SWL	1,400 lbs. / 466 lbs. ea.	5,000 lbs. / 1,666 lbs.
Package Style	2 per interactive display	Clam kit
Case Quantity	4	12

RETRACTABLE TRANSOM TIE-DOWN 2" WEB



STAINLESS STEEL RETRACTABLE TRANSOM TIE-DOWN



RETRACTABLE BOW TIE-DOWN



Part Number F08893
Size Up to 43"
Break Strength/SWL 2,500 lbs. / 833 lbs. ea.
Package Style 2 per interactive display
Case Quantity 4

F14256 Up to 43" 1,500 lbs. / 500 lbs. ea. 2 per interactive display F14220 Up to 43" 2,500 lbs. / 833 lbs. 1 per interactive display

STAINLESS STEEL RETRACTABLE BOW TIE-DOWN

RETRACTABLE GUNWALE TIE-DOWN








Part Number F14393 F14200 F14221 Size Up to 43" 2" x 38" 24" Break Strength/SWL 1,500 lbs. / 500 lbs. 2,500 lbs. / 833 lbs. ea. N/A Package Style 1 per interactive display 2 per interactive display Clam single item Case Quantity 12

RODBUCKLE CONCEALED MOUNTING KIT





Part Number	F14202
Size	N/A
Break Strength/SWL	N/A
Package Style	Clam kit
Case Quantity	12

F17726
30" x 65"
N/A
Display kit
12

F17727		
30" x 65"		
N/A		
Display kit		
12		



VERTICAL ROD HOLD-DOWN



DECK MOUNT ROD HOLD-DOWN



STRETCH DECK MOUNT ROD HOLD-DOWN



TROLLING MOTOR TIE-DOWN



Part Number Size Break Strength/SWL Package Style Case Quantity

F15435
12"
N/A
Clam set
12

F15433 10" x 6" N/A Clam set 12

F15434 12" x 6" N/A Clam set 12

F15437 N/A N/A Clam single item 12

PRO SERIES KWIK-LOK® TRANSOM TIE-DOWNS

Pro Series Kwik-Lok Transom Tie-Down provides zinc-coated steel trailer hooks and vinyl-coated steel top hooks which resist cracking and peeling.

All Pro-Series tie-downs feature a SUR-Grip Kwik-Lok buckle for maximum comfort. For added safety and security, the transom and gunwale tie-downs also come standard with Hi-Vis protective PVC pads and our Night Eyes reflective closure patch for increased visibility in low light conditions.

PRO-SERIES RATCHET TRANSOM **TIE-DOWNS**

Pro Series Ratchet Tie-down offers protective web pad along with a molded SUR-Grip handle for greater ease in ratcheting.



Part Number Size Break Strength/SWL Package Style Case Quantity

F17631 2" x 2' 1.200 lbs. / 400 lbs. ea. 2 per display pkg 12


F17632 2" x 4' 1,200 lbs. / 400 lbs. ea. 2 per display pkg 12

F17633 2" x 6' 1,200 lbs. / 400 lbs. ea. 2 per display pkg 12

F18740 1" x 3' 2 per display pkg

1.200 lbs. / 400 lbs. ea. 12

PRO SERIES KWIK-LOK® GUNWALE TIE-DOWNS



Part Number	F17634	F17635	F17636	F17637
Size	2" x 10'	2" x 13'	2" x 16'	2" x 20'
Break Strength/SWL	1,200 lbs. / 400 lbs.			
Package Style	1 per display pkg			
Case Quantity	12	12	12	12

PRO SERIES KWIK-LOK® BOW TIE-DOWN



KWIK-LOK® TRANSOM TIE-DOWNS WITH 360° ROTATING HOOK



Part Number	F18741
Size	1" x 3'
Break Strength/SWL	1,200 lbs. / 400 lbs.
Package Style	1 per display pkg
Case Quantity	12

F13128	F13130
2" x 2'	2" x 4'
1,200 lbs. / 400 lbs. ea.	1,200 lbs. / 400 lbs. ea.
2 per interactive display	2 per interactive display
12	12

KWIK-LOK® Transom tie-downs



Part Number	F13109	F13110
Size	1" x 4'	2" x 2'
Break Strength/SWL	1,200 lbs. / 400 lbs. ea.	1,200 lbs. / 400 lbs. ea.
Package Style	2 per clam pkg	2 per clam pkg
Case Quantity	12	12

2" widths.

F13111	F13112
2" x 4'	2" x 6'
1,200 lbs. / 400 lbs. ea.	1,200 lbs. / 400 lbs. ea.
2 per clam pkg	2 per clam pkg
12	12



STAINLESS STEEL KWIK LOK® TRANSOM TIE-DOWNS

rivets and springs.



Part Number	F12613	F12065	F12066	F12067
Size	1" x 3.5'	2" x 2'	2" x 4'	2" x 6'
Break Strength/SWL	1,000 lbs. / 333 lbs. ea.			
Package Style	2 per display pkg			
Case Quantity	12	12	12	12

CUSTOM EMBROIDERED KWIK-LOK® TRANSOM TIE-DOWN

Customize your tie-downs with your own digitized logo or artwork.

















F07930
2" x 2'
1,200 lbs. / 400 lbs. ea.
Bulk pair
10

F07931	F07933
2" x 4'	2" x 6'
1,200 lbs. / 400 lbs. ea.	1,200 lbs. / 400 lbs. ea.
Bulk pair	Bulk pair
10	10

TRANSOM TUNE-UP VALUE PACK

This kit is designed to promote three-point tie-down safety on your trailer with a transom tie-down, a bow tie-down, a winch strap with a FREE replacement bolt.



HEAVY DUTY RATCHET TRANSOM TIE-DOWNS



Part Number
Size
Break Strength/SWL
Package Style
Case Quantity

F14251 2" x 4' / 1" x 3' / 2" x 20'

Clam kit 6 F14206 2" x 2' 2,500 lbs. / 833 lbs. ea. 2 per clam pkg 12 F14207 2" x 4' 2,500 lbs. / 833 lbs. ea. 2 per clam pkg

F14208 2" x 6' 2,500 lbs. / 833 lbs. ea. 2 per clam pkg

2 per clam pkg 6

RATCHET TRANSOM/ UTILITY TIE-DOWN



Part Number	F14209
Size	1" x 3'
Break Strength/SWL	1,200 lbs. / 400 lbs. ea.
Package Style	2 per clam pkg
Case Quantity	12

CAM BUCKLE TRANSOM/ UTILITY TIE-DOWN



F05851
1" x 5.5'
1,200 lbs. / 400 lbs.
Clam single item
6



BOATBUCKLE®

KWIK LOK® GUNWALE TIE-DOWNS



Part Number	F13113	F13114	F13115	F13116
Size	2" x 10'	2" x 13'	2" x 16'	2" x 20'
Break Strength/SWL	1,200 lbs. / 400 lbs.			
Package Style	Clam single item	Clam single item	Clam single item	Clam single item
Case Quantity	12	12	12	12



Part Number	F12069	F12070	F12071	F12072
Size	2" x 10'	2" x 13'	1" x 16'	2" x 20'
Break Strength/SWL	1,000 lbs. / 333 lbs.			
Package Style	Clam single item	Clam single item	Clam single item	Clam single item
Case Quantity	12	12	12	12



STAINLESS STEEL RATCHET GUNWALE TIE-DOWNS



 Part Number
 F12597
 F12598

 Size
 1" x 12"
 1" x 18"

 Break Strength/SWL
 1,000 lbs. / 333 lbs.
 1,000 lbs. / 333 lbs.

 Package Style
 Clam single item
 Clam single item

 Case Quantity
 6
 6

WINCH STRAP WITH LATCH-LOK® TECHNOLOGY

The industry's most innovative hook makes attachment easier than ever. Latch-Lok Technology allows you to simply push-on and squeeze-off. It boasts of 5,500 lb. polyester webbing with a convenient loop end. The interactive package allows shoppers to try the easy Latch-Lok Technology for themselves.



F17741 2" x 20' 4,000 lbs. / 1,333 lbs. Display single item 12

HEAVY DUTY WINCH STRAP WITH LOOP END

Designed for the heaviest of applications, the 2" heavy duty winch strap features 12,000 lb. polyester web and a 9,200 lb. forged steel snap hook.



F14211 2" x 25' 8,000 lbs. / 2,667 lbs. Clam single item

BOATBUCKLE®

WINCH STRAP WITH LOOP END

Our boat winch straps feature up to 6,000 lb. polyester webbing and 9,200 lb. forged steel snap hooks. Choose from either 2" or 3", loop or tail end style. Custom lengths and specifications available for OEM's.

Part Number	F14210	F05848	F14212	F14213
Size	2" x 15'	2" x 20'	3" x 20'	3" x 25'
Break Strength/SWL	4,000 lbs. / 1,333 lbs.	4,000 lbs. / 1,333 lbs.	5,000 lbs. / 1,667 lbs.	5,000 lbs. / 1,667 lbs.
Package Style	Clam single item	Clam single item	Clam single item	Clam single item
Case Quantity	12	12	12	12

WINCH STRAP WITH TAIL END



P.W.C. WINCH STRAPS



Part Number
Size
Break Strength/SWL
Package Style
Case Quantity

F14214
2" x 15'
4,000 lbs. / 1,333 lbs.
Clam single item
10

F07674
2" x 20'
4,000 lbs. / 1,333 lbs.
Clam single item
12

F14215 (Tail)	F14216 (Loop)
2" x 15'	2" x 15'
3,500 lbs. / 1,167 lbs.	3,500 lbs. / 1,167 lbs.
Clam single item	Clam single item
12	12

P.W.C. CAM BUCKLE TRI-DOWN WITH SOFT HOOK



P.W.C. RATCHET TRI-DOWN WITH SOFT HOOK



Part Number	F10972BK	F14218
Size	1" x 6'	1" x 8'
Break Strength/SWL	1,200 lbs. / 400 lbs.	1,200 lbs. / 400 lbs
Package Style	Clam single item	Clam single item
Case Quantity	12	12
Case Quantity	12	12

40



BOATBUCKLE®



Part Number	F12811	F05343	F05352
Size	1" x 3'	1" x 4'	1.5" x 6'
Break Strength/SWL	1,200 lbs. / 400 lbs.	N/A	N/A
Package Style	Clam single item	Clam single item	Clam single item
Case Quantity	20	20	20

BATTERY BOX TIE-DOWN



SNAP-LOCK BOAT COVER TIE-DOWN







Part Number	F05351	F13274
Size	1.5" x 3.5'	1"
Break Strength/SWL	N/A	N/A
Package Style	Clam single item	2 per clam
Case Quantity	20	12
•		

-13274	F13180
n	2"
N/A	N/A
2 per clam	2 per clam
12	12

F14264
1" x 4'
N/A
6 pack clam
10



